Journal of Immunological Methods, 149 (1992) 273–274

© 1992 Elsevier Science Publishers B.V. All rights reserved 0022-1759/92/$05.00

Contents to volume 149 (1992)

Number 1 – 27 April 1992

Research reports

A critical evaluation of the magnetic cell sorter and its use in the positive and negative selection of CD45RO$^+$ cells
I.T. Manyonda, A.J. Soltys and F.C. Hay (UK) 1

A microELISA assay for detection of anti-HLA activity of mouse monoclonal antibodies using an Astroscan 2100 automated plate reader
A.M. Sadler, P. Krausa, S.G.E. Marsh, J.M. Heyes and J.G. Bodmer (UK) 11

A sensitive enzyme-linked immunosorbent assay (ELISA) for the detection of staphylococcal protein A (SpA) present as a trace contaminant of murine immunoglobulins purified on immobilized protein A
M.A.J. Godfrey, P. Kwasowski, R. Clift and V. Marks (UK) 21

Abrogation of c-MYC protein degradation in human lymphocyte lysates by prior precipitation with perchloric acid
D.G. Spiller and D.M. Tidd (UK) 29

Expression of functional antigens on neutrophils. Effects of preparation
M.G. Macey, X.P. Jiang, P. Veys, D. McCarthy and A.C. Newland (UK) 37

Mycoplasma contamination in human leukemia cell lines. I. Comparison of various detection methods
C.C. Uphoff, S.M. Gignac and H.G. Drexler (Germany) 43

Mycoplasma contamination in human leukemia cell lines. II. Elimination with various antibiotics
C.C. Uphoff, S.M. Gignac and H.G. Drexler (Germany) 55

A quantitative immunocytochemical method for the measurement of islet cell cytoplasmic antibodies
M.O. Marshall and P.E. Høyer (Denmark) 63

Co-expression of human T cell receptor chains with mouse CD3 on the cell surface of a mouse T cell hybridoma
A. Zumla, C. Marguerie, A. So, W.M. Yokoyama, T. Saito, J.R. Batchelor and R.I. Lechler (UK, USA, Japan) 69

Isolation and amplification of human IgE Fd encoding mRNA from human peripheral blood lymphocytes
M.R. Walker, L.J. Bevan, J. Daniels, M.M.A. Rottier, R. Rapley and A.M. Roberts (UK) 77

Detection of brain-reactive autoantibodies in the sera of autoimmune mice using ELISA
J. Crimando and S.A. Hoffman (USA) 87

Distinguishing between mouse IL-3 and IL-3 receptor-like (IL-5/GM-CSF receptor converter) mRNAs using the polymerase chain reaction method
M.-C. Fung, N.-K. Mak, K.-N. Leung and A.J. Hapel (Australia) 97

Immunohistological characterization of mucin epitopes by pre-treatment of gastro-intestinal sections with periodic acid
J. Bara, C. Decaens, B. Loridon-Rosa and R. Oriol (France) 105

An improved ELISA with linear sweep voltammetry detection
F. Tie, A. Pan, B. Ru, W. Wang and Y. Hu (People's Republic of China) 115

Short communications

Chemotaxis of polymorphonuclear leukocytes in whole blood in the 'sparse-pore' polycarbonate (Nuclepore) membrane/Boyden chamber assay
J.E. Rice and L.P. Bignold (Australia) 121

Production of anti-peptide specific antibody in mice following immunization with peptides conjugated to mannan
Y. Okawa, C.R. Howard and M.W. Steward (UK) 127

Comparison of four DNA staining fluorescence dyes for measuring cell proliferation of lymphokine-activated killer (LAK) cells
I. Vollenweider and P. Groscurth (Switzerland) 133

Letters to the editors

A new method for measuring eosinophil activating factors, based on the increased expression of CR3 α chain (CD11b) on the surface of activated eosinophils. A correction
K.J.I. Thorne, B.A. Richardson, G. Mazza and A.E. Butterworth (UK) 137

Increased binding of urease by activated eosinophils. Reassessment of an ELISA for CD11b
K.J.I. Thorne, B.A. Richardson and A.E. Butterworth (UK) 139

A method for screening large numbers of samples on immunoblots
P.L. Devine and G.W. Birrell (Australia) 143

Notes to authors 145

Number 2 – 18 May 1992

Research reports

Freeze-thaw effects on the detection of blood group substances in detergent extracts by enzyme-linked immunosorbent assays (ELISA)
V. Chapman, S.M. Fletcher and M.N. Jones (UK) 147

Flow cytometry analysis of the expression of neutrophil FMLP receptors
C.A. Allen, M.F. Broom and V.S. Chadwick (New Zealand) 159

Application of phase partitioning and thiophilic adsorption chromatography to the purification of monoclonal antibodies from cell culture fluid
B. Sulk, G. Birkenmeier and G. Kopperschläger (Germany) 165

Induction and identification of mast cells from long-term culture of mouse spleen cells without conditioned medium
Z.-Q. Hu, T. Yoshida and T. Shimamura (Japan) 173

Assessment of neutrophil chemotaxis by laser and video densitometry
N.L.A. Misso, T.L. Kang, M.J. Phillips and P.J. Thompson (Australia) 183

Natural killer function in flow cytometry. III. Surface marker determination of K562-conjugated lymphocytes by dual laser flow cytometry
M. Vitale, L. Zamai, S. Papa, G. Mazzotti, A. Facchini, G. Monti and F.A. Manzoli (Italy) 189

An immunochemical approach to investigating the mechanism of inhibition of cysteine proteinases by members of the cystatin superfamily
G. Lalmanach, J. Hoebeke, T. Moreau, M. Ferrer-Di Martino and F. Gauthier (France) 197

An improved method for the purification of basophilic granulocytes from human blood
F.P.J. Mul, E.F. Knol and D. Roos (Netherlands) 207

Purification and characterization of biologically active human recombinant 37 kDa soluble CD23 (sFcϵRII) expressed in insect cells
P. Graber, K. Jansen, S. Pochon, J. Shields, N. Aubonney, G. Turcatti and J.-Y. Bonnefoy (Switzerland) 215

A sensitive enzyme-linked immunosorbent assay for human interleukin-8
Y.-c. Ko, N. Mukaida, A. Panyutich, N.N. Voitenok, K. Matsushima, T. Kawai and T. Kasahara (Japan, Byelorussia, Russia) 227

Superiority of sandwich ELISA over competitive RIA for the estimation of ANP-270, an analogue of human atrial natriuretic factor
S.H. Ingwersen, P.N. Jørgensen, H. Eiskjær, N. Langeland Johansen, K. Madsen and P. Faarup (Denmark) 237

Europium-labelled streptavidin as a highly sensitive universal label. Indirect time-resolved immunofluorometry of FSH and TSH
M. Suonpää, E. Markela, T. Ståhlberg and I. Hemmilä (Finland) 247

The use of [^{35}S]methionine as a target cell label in long term cytotoxic assays
A. Katz, M. Feldman and L. Eisenbach (Israel) 255

A sensitive competitive ELISA for 2,4-dinitrophenol using 3,6-fluorescein diphosphate as a fluorogenic substrate
Z. Huang, N.A. Olson, W. You and R.P. Haugland (USA) 261

Corrigendum

A crossreactive antipeptide monoclonal antibody with specificity for lysyl-lysine (J. Immunol. Methods 140 (1991) 249–258)
L.M. Khachigian, G. Evin, F.J. Morgan, D.A. Owensby and C.N. Chesterman (Australia) 267

Book review 269

Announcements 271

Contents to volume 149 (1992) 273

Notes to authors 275